



*Excellence in Paint*

## **MATERIAL SAFETY DATA SHEET**

### **ACRYLIC EMULSION SEALER / ACRYLIC GLAZE**

#### **PHYSICAL DATA**

Appearance:	Milky white liquid
Solubility in Water:	Dispersible
Chemical Group:	Acrylic co-polymer emulsion in water solution
Boiling Point:	100°C

#### **FIRE AND EXPLOSIVE HAZARDS**

**FLAMMABILITY:** Being water based the product is non-flammable. In dried form product might burn producing carbon monoxide and dioxide.

**EXTINGUISHING MEDIA:** Water, carbon dioxide or dry chemicals.

#### **HEALTH HAZARD DATA**

The product is not regarded as hazardous and for normal spillages on skin, clothing, etc, washing with water is adequate.

#### **EFFECT OF OVER-EXPOSURE**

Contact with skin: may cause irritation or rash.

Contact with eyes: may cause slight irritation or redness.

#### **EMERGENCY AND FIRST AID PROCEDURES**

For ingestion: drink water, do **not** induce vomiting and call for medical attention.

For skin: wash affected areas with soap and water.

For eyes: flush with copious volumes of clean water and call for immediate attention.

#### **SPILLAGES OR LEAKS**

Clean up with water before allowing to dry. Waste product should not be discharged directly into drains or waterways. Absorb spills with sand and / or rags.

#### **WASTE DISPOSAL METHOD**

Settled solids are normally disposed of through contractors.

**PROTECTION INFORMATION**

**PROTECTIVE EQUIPMENT:** normal protective clothing, e.g. gloves and overalls, are usually adequate. Safety glasses are recommended.

**VENTILATION:** normal conditions of ventilation are usually adequate.

**RESPIRATORY PROTECTION:** respiratory equipment is not required unless handling the product in an enclosed area.

**EMERGENCY TELEPHONE NUMBER:** 011-914 3689  
(More detailed data available on request)

