



MATERIAL SAFETY DATA SHEET

KEYCOTE

PHYSICAL DATA

Appearance: Two pack system. Dark grey in colour when mixed.
Solubility in Water: Dispersible
Chemical Group: Styrene / Butadiene co polymer latex and cement/silica mixture
Boiling Point: 100°C

FIRE AND EXPLOSIVE HAZARDS

FLAMMABILITY: Being water based the product is non-flammable.
EXTINGUISHING MEDIA: Water, carbon dioxide or dry chemicals.

HEALTH HAZARD DATA

The product is not regarded as hazardous and for normal spillages on skin, clothing, etc, washing with water is adequate.
Hazchem code : 2Z – non hazardous

EFFECT OF OVER-EXPOSURE

Contact with skin: may cause irritation or rash.
Contact with eyes: may cause slight irritation or redness.

EMERGENCY AND FIRST AID PROCEDURES

For ingestion: seek immediate medical attention.
For skin: wash affected areas with soap and water.
For eyes: flush with copious volumes of clean water and call for immediate attention.

SPILLAGES OR LEAKS

Clean up with water before allowing to dry. Waste product should not be discharged directly into drains or waterways. Absorb spills with sand and / or rags.

WASTE DISPOSAL METHOD

Settled solids are normally disposed of through contractors.

PROTECTION INFORMATION

PROTECTIVE EQUIPMENT: normal protective clothing, e.g. gloves and overalls, are usually adequate. Safety glasses are recommended.

VENTILATION: normal conditions of ventilation are usually adequate.

RESPIRATORY PROTECTION: respiratory equipment is not required unless handling the product in an enclosed area.

EMERGENCY TELEPHONE NUMBER: 011-914 3689

